



Astm A213 Gr T5 T12 T91 A192 Seamless Boiler Tubes Manufacturers 10# 20# 45#

Basic Information



Product Specification

Product Name: Seamless Steel Boiler Pipe

• Length: 1m-12m Or As Your Requirements

• Outer Diameter: 21.3-1219mm Or As Your Requirements

• Wall Thickness: 0.3-120mm Or Sizes Can Be Customized

Material: Carbon Steel, Stainless Steel, Etc

• Standard: API 5L, ASME, ASTM, DIN, GB8162,

GB8163, GB5310

• Technique: Hot Rolled, Cold Rolled, Cold Drawn

• Application: Boiler Tube

• Highlight: astm a213 gr t5, astm a213 t12, astm a213 t91



Product Description

10# 20# 45# ASTM A213 A192 Carbon Steel Seamless Boiler Tube

Specifications

	10# 20# 4E# A106/B.C\ A2:	12 A102 O225 O245 O105 O245 O2450 O245A ACTM	
Steel	10#, 20#, 45#, A106(B,C), A213, A192, Q235, Q345, Q195, Q215, Q345C, Q345A, ASTM, A53A/A53B/A178C/A106B API5L		
Grad	ST37, ST37-2, DIN 1629 ST35, ST45, DIN 17175 ST35.8, DIN17175 19Mn5 16Mn,Q345B,T1, T2,		
е	T5,T9,T11,T12,T22,T91,T92,P1,P2,GR1,GR2,Gr.B,X42, X46,ect.		
		21.3-1219mm or as your requirements	
Size		0.3-120mm or Sizes can be customized	
	Length	1m-12m or as your requirements	
	GB12771-91, ASTM A1053/A1053M-06, ASTM A268/A268M-05A, ASTM A269-07 ASTM A270-03A, ASTM A312/A312M-06, ASTM A358/A358M-05, ASTM A632-04		
		ASTM A789/A789M-05b, ASTM A790/A790M-05b, ASTM A872/A872M-07A, ASTM	
	A949/A949M-01(2005), A51M A999/A999M-04A		
Toler	±1%		
ance			
Proc	Bending, Welding, Decoiling, Punching, Cutting, Moulding		
essin			
g Servi	Defining, Weiding, Decoming, Functioning, Cutting, Modifier		
I .			
ce Ends			
	Plastic pipe cap on both ends		
ctor	l lastic pipe cap on both ends		
Took			
nique	clod rolled or hot rolled		
Oiled			
ا ا			
Non-	Non-oiled or as your requirements		
oiled			
Weldi			
ng			
Line	Seamless steel pipe		
Туре			
Secti			
lon l			
Shap	Round		
e '			
Certif			
icatio	ISO.CE.ect		
n			
Date			
of	Usually within 7 days, the time depends on the quantity of the product.		
Deliv	Ostally within 7 days, the time depends on the quantity of the product.		
ery			
	1. By bundles, each bundle weight under 3 tons, for small outer diameter seamless steel pipe, each bund		
	with 4 - 8 steel strips;		
	After making by bundle, covered with Polyethylene waterproof cloth;		
	3. Customized is accepted.		
	1 TON, If the purchase quantity is less than our MOQ, can be customized according to your requirements.		
Paym ent	T/T, D/A, D/P, L/C, Western Union, MoneyGram or according to customer requirements.		
	Seamless steel tube with hollow section, a large number of pipeline used for conveying fluid, such as oil,		
Appli	natural gas, gas, water and some solid materials pipeline. It is widely used in the manufacture of structural		
catio	and mechanical parts, such as oil drill pipe, automobile transmission shaft,bicycle frame and steel		
n	scaffolding used in construction.		
	•		

Characteristics of Seamless Boiler Tubes:

High-Temperature Resistance: Seamless boiler tubes are manufactured from materials that can withstand high temperatures generated in boiler systems. Common materials used for seamless boiler tubes include carbon steel, alloy steel, and stainless steel. These materials offer excellent heat resistance, ensuring the tubes can handle the extreme temperatures and thermal stresses associated with boiler operations.

Seamless Construction: Seamless boiler tubes are produced using a seamless manufacturing process, which involves heating a solid steel billet and then piercing it to form a hollow tube. This seamless construction eliminates the presence of welds or joints, which can be potential weak points in the tube. The absence of welds enhances the strength and integrity of the tubes, making them more reliable in high-pressure and high-temperature environments.

Corrosion Resistance: Seamless boiler tubes are often made from materials with good corrosion resistance properties. Stainless steel and certain alloy steels, such as chrome-molybdenum (chrome-moly) steel, offer excellent resistance to corrosion and oxidation at elevated temperatures. This corrosion resistance helps to maintain the integrity of the tubes, ensuring long-term reliability and minimizing the risk of failure or leaks.

Dimensional Precision: Seamless boiler tubes are manufactured with precise dimensions to meet the requirements of boiler systems. They are available in various sizes, diameters, and thicknesses, allowing for customization to specific project needs.

The dimensional precision of the tubes ensures proper fit and compatibility with boiler components and facilitates effective heat transfer.

High Pressure Resistance: Seamless boiler tubes are designed to withstand high-pressure conditions commonly found in boiler systems. They are engineered to handle the internal pressures generated by the steam or fluid circulating within the boiler. The tubes' strength and durability enable them to withstand the stress and pressure without deformation or failure, ensuring safe and efficient operation.

FAQ

Q1. Are you a manufacturer or trader?

We are a manufacturer, and we can have our own factory produced many steel products.

Q2. Whether your company supports Trade Assurance order?

Yes, we can (100% product quality protection; 100% on-time shipment protection; 100% payment protection)

Q3. Can we get the some samples? Any charges?

Yes, you can get available samples in our stock. If the samples from new production, we will charge some reasonable cost, but this amount will be deducted from your first order.

Q4. How do we build up business relations with your company?

Send us your requirement which includes size, coating info, parameters, quantity, destination .

Q5. What is the MOQ?

We can accept small orders. Please feel free to contact us, we can meet your requirements.

Q6. What's your advantage?

With high-quality products and efficient customer service, we adhere to the principle of customer first.

Q7. How long is your delivery time?

Delivered within 15 days after receipt of deposit.



Shandong Fengbao Metal Products Co., Ltd



13003369243



Lydia@fengbaosteels.com



seamless-steeltube.com